

Featured Research

from universities, journals, and other organizations
Save/Print: [Print](#) **Share:** [Email](#) [Facebook](#) [Twitter](#) [LinkedIn](#) [Google+](#)

Electrons moving in a magnetic field exhibit strange quantum behavior

Date: August 8, 2014

Source: RIKEN

Summary: Researchers have made the first direct observations of free-electron Landau states — a form of quantized states that electrons adopt when moving through a magnetic field— and found that the internal rotational dynamics of quantum electrons, or how they move through the field, is surprisingly different from the classical model, and in line with recent quantum-mechanical predictions.

Share This

- > [Email to a friend](#)
- > [Facebook](#)
- > [Twitter](#)
- > [LinkedIn](#)
- > [Google+](#)
- > [Print this page](#)

Breaking News:

[Uterus Transplantation: World's First Baby Born](#)

Related Topics

Matter & Energy

- > [Spintronics](#)
- > [Physics](#)
- > [Quantum Physics](#)

Computers & Math

- > [Spintronics Research](#)
- > [Quantum Computers](#)
- > [Computers and Internet](#)

Related Articles

- > [Atomic orbital](#)
- > [Electron configuration](#)
- > [Quantum number](#)
- > [Quantum dot](#)
- > [Quantum entanglement](#)
- > [Particle physics](#)

Researchers Franco Nori and Konstantin Bliokh from the RIKEN Center for Emergent Matter Science in Japan, in collaboration with an experimental team in Austria, have made the first direct observations of free-electron Landau states -- a form of quantized states that electrons adopt when moving through a magnetic field -- and found that the internal rotational dynamics of quantum electrons, or how they move through the field, is surprisingly different from the classical model, and in line with recent quantum-mechanical predictions made at RIKEN.

The dynamic behavior of electrons in magnetic fields is crucial for understanding physical processes, such as the quantum Hall effect, which are important in many areas of solid state physics, including electrical conductivity. Yet, there is much that remains unknown about exactly how electrons behave in a magnetic field.

In research published today in *Nature Communications*, researchers Franco Nori and Konstantin Bliokh from the RIKEN Center for Emergent Matter Science in Japan, in collaboration with an experimental team in Austria, have made the first direct observations of free-electron Landau states -- a form of quantized states that electrons adopt when moving through a magnetic field -- and found that the internal rotational dynamics of quantum electrons, or how they move through the field, is surprisingly different from the classical model, and in line with recent quantum-mechanical predictions made at RIKEN.

The experimental team used a transmission electron microscope to generate nanometer-sized electron vortex beams in which the electrons had a variety of quantum angular-momentum states, and then analyzed the beam propagation to reconstruct the rotational dynamics of the electrons in different Landau states. According to classical physics, the electrons should rotate uniformly at what is called the cyclotron frequency, the frequency adopted by a charged particle moving through a magnetic field. Remarkably, what the researchers discovered is that in fact, depending on the quantum number describing the angular momentum, the electrons rotated in three different ways with zero frequency, the cyclotron frequency, and the Larmor frequency, which is half the cyclotron frequency. This shows that the rotational dynamics of the electrons are more complex and intriguing than was once believed.

According to Franco Nori, who leads the RIKEN team, "This is a very exciting finding, and it will contribute to a better understanding of the fundamental quantum features of electrons in magnetic fields, and help us to reach a better understanding of Landau states and various related physical phenomena."

Story Source:

The above story is based on [materials](#) provided by [RIKEN](#). *Note: Materials may be edited for content and length.*

Journal Reference:

1. P. Schattschneider, Th. Schachinger, M. Stöger-Pollach, S. Löffler, A. Steiger-Thirsfeld, K. Y. Bliokh, Franco Nori. **Imaging the dynamics of free-electron Landau states**. *Nature Communications*, 2014; 5 DOI: [10.1038/ncomms5586](#)

Cite This Page:


MLA **APA** **Chicago**

RIKEN. "Electrons moving in a magnetic field exhibit strange quantum behavior." ScienceDaily. ScienceDaily, 8 August 2014. <www.sciencedaily.com/releases/2014/08/140808110707.htm>.

Share This

- > [Email to a friend](#)
- > [Facebook](#)

Related Stories



Quantum Physics: First Images of Landau Levels Revealed

Oct. 1, 2012 — Physicists have directly imaged Landau Levels — the quantum levels that determine electron behavior in a strong


magnetic field — for the first time since they were theoretically conceived of by ... > [full story](#)

Quantum Information Motion Control Is Now Improved

Apr. 3, 2012 — Physicists have recently devised a new method for handling the effect of the interplay between vibrations and electrons on electronic transport. This study could have implications for quantum ... > [full story](#)

Study of Tiny Magnets May Advance Their Use in Microelectronics

Oct. 19, 2010 — Researchers in China have announced progress in understanding the single-molecule magnet, which combines the classical macroscale properties of a magnet with the quantum properties of a nanoscale ... > [full story](#)



Graphene Exhibits Bizarre New Behavior Well Suited to Electronic Devices

July 29, 2010 — Graphene, a sheet of pure carbon, has been touted as a possible replacement for silicon-

based semiconductors because of its useful electronic properties. Now, physicists have shown that graphene has ... > [full story](#)



Physicists Move One Step Closer to Quantum Computing

Nov. 20, 2009 — Physicists have made an important advance in electrically controlling quantum states of electrons, a step that could help in the development of quantum ... > [full story](#)

> [more related stories](#)